




Gas Technology

**TrakFast**  
Gas Technology  
Fully Automatic  
1-1/2" Pin Capacity  
42 Pin Magazine Capacity




See pages 26-27 for fasteners.

**ADVANTAGES**

- | **SPEED** Three to five times faster than powder tools. 42-pin magazine reduces loading time.
- | **EASY TO USE** Tool automatically resets piston. No recoil, tool absorbs shock resulting in less operator fatigue.
- | **NO LICENSING REQUIRED** Unlike powder-actuated tools, no licensing is needed.
- | **NO CHANGING LOADS** TrakFast uses a fuel cell, not a load. No need to inventory different colored loads.
- | **NARROW NOSE AND PROFILE** Allows tool to reach inside deep leg track (1-5/8" wide x 2" high).
- | **2 Year Warranty** (6 months on wearable parts).

**SPECIFICATIONS**

- | Part No. TF1100
- | Length: 17"
- | Height: 15-1/2"
- | Weight: 8.375 lbs.
- | Maximum Capacity: 42 pins
- | Maximum cycles/second: 2
- | Fuel cell: 1000 shots
- | Battery (charged): 3000 shots



TrakFast ICC (ICBO) ER-5001 is the only approval that allows you to fasten into any location on a hollow block wall and won't blow away block like a powder tool.



Gas Technology

**T3MAG**  
Gas Technology  
45-Pin Magazine  
Fuel Injection  
Cross Over Technology



**ADVANTAGES**

- | Higher stick rate
- | 20% more power
- | Easy push-down for use
- | Deep leg track capacity
- | 45-pin magazine capacity
- | Filtered dust shield
- | Battery charger provides constant charging & low voltage drops
- | 2 Year Warranty (6 months on wearable parts).
- | No license Required

**SPECIFICATIONS**

- | Length: 18-1/2"
- | Height: 15"
- | Weight: 9.2 lbs.
- | Pin Guide O.D.: .500
- | Maximum Pin Length: 1"

Gas Technology

**T3SS**  
Gas Technology  
Single Pin Gas Tool  
Fuel Injection  
Cross Over Technology



For information on our full line of accessories for your T150 or T3SS, see pages 28-29.

**ADVANTAGES**

- | Sets the standard for single-shot applications
- | 5 times faster than traditional drill and anchor methods
- | Replaces the need for tools like the DX35
- | Reduced operator fatigue
- | Reduced installation costs—up to 75%
- | Quiet enough to work in tenant occupied buildings
- | Removable rear foot
- | 2 Year Warranty (6 months on wearable parts).

**SPECIFICATIONS**

- | Length: 13-1/2"
- | Height: 15"
- | Weight: 7.0 lbs.
- | Pin Guide O.D.: 1/2" Standard, 7/8" Magnetic
- | Maximum Pin Length: 1-1/2"

VERSATILE, fastens to solid concrete, hollow block, pan deck and steel.

## SIZES

*Ramset collated Gas Tool Fasteners are specifically engineered for optimal performance in Ramset Gas Power Tools using fastener magazines*

### Selection Chart

#### TRAKFAST STANDARD FUEL/PIN PACK *For high volume, repetitive fastenings to concrete and steel such as drywall track to concrete*

1000 PINS AND 1 FUEL CELL PER BOX.



PART NUMBER	PIN LENGTH IN.	(mm)	DESCRIPTION	TF1100
FPP012	1/2	(12.7)	1/2" Plated steel pin	■
FPP034B	3/4	(19.1)	3/4" Black pin	■
FPP100	1	(25.4)	1" Plated pin	■
FPP114	1-1/4	(31.8)	1-1/4" Plated pin	■

Shank diameter = .109  
Head diameter = .250

#### PREMIUM STEP SHANK FUEL/PIN PACK *For high volume, repetitive fastenings to hard concrete and hard steel such as drywall track to hard concrete and steel*

1000 PINS AND 1 FUEL CELL PER BOX.



PART NUMBER	PIN LENGTH IN.	(mm)	DESCRIPTION	TF1100
FPP012S	1/2	(12.7)	1/2" Plated step shank pin	■
FPP034S	3/4	(19.1)	3/4" Plated step shank pin	■

Shank diameter = .104 / .118  
Head diameter = .250

#### TRAKFAST BREAKAWAYTRIP FUEL/PIN PACK *For high volume, repetitive fastenings to concrete such as wood furring to concrete*

1000 PINS AND 1 FUEL CELL PER BOX. COLLATION DESIGNED TO BREAKAWAY ON IMPACT.




PART NUMBER	PIN LENGTH IN.	(mm)	DESCRIPTION	TF1100
FPP034T	3/4	(19.1)	3/4" Plated pin	■
FPP100T	1	(25.4)	1" Plated pin	■
FPP114T	1-1/4	(31.8)	1-1/4" Plated pin	■
FPP112T	1-1/2	(38.1)	1-1/2" Plated pin	■

Shank diameter = .109  
Head diameter = .250

#### T3MAG FUEL/PIN PACK

1000 PINS AND 1 FUEL CELL PER BOX.



PART NUMBER	PIN LENGTH IN.	(mm)	DESCRIPTION	T3MAG
T3012	1/2	(12.7)	1/2" steel pin with T3 fuel cell	■
T3034B	3/4	(19.1)	3/4" concrete pin with T3 fuel cell	■
T3034S	3/4	(19.1)	3/4" step shank pin with T3 fuel cell	■
T3100*	1	(25.4)	1" concrete pin with T3 fuel cell	■

Shank diameter = .125 \* Shank diameter = .104/.125  
Head diameter = .250

#### PLY138 – TRAKFAST PLYWOOD PIN *For attaching plywood to metal studs*

1000 PINS AND 1 FUEL CELL PER BOX.



#### ADVANTAGES

##### vs. Screws

- 3 - 5 times faster than screw installation
- No worrying about electrical cords

##### vs. Air Systems

- No set-up and tear down time
- No hassling with compressors or hoses

##### Strip

- Collation strip breaks away upon impact, allowing the head of the pin to recess into the wood for a nice, clean look
- 10-pin strips transfer easily from the operator's pouch to the TrakFast tool, eliminating waste

##### Pins

- Hardened steel pin ensures a clean penetration of the fastener — no dimpling of the stud
- Knurled helical shank gives the fastener superior holding values
- Zinc plated for corrosion resistance

#### SPECIFICATIONS

- Fastener Length: 1-3/8"
- Shank Diameter: .100 dia. (before knurl)
- Head Diameter: .250
- Helical Knurled Shank
- Mechanical Zinc Plated
- Can Be Used With:
  - Wood Sheathings: 3/8", 1/2", 5/8", 3/4"
  - Steel Stud Gauges: 16, 18, 20 (also works well in 12 and 14 gage)