

MATERIAL SAFETY DATA SHEET

TRIANGLE FASTENER CORPORATION

ULTRA 1000 Sealant for Metal (Translucent and colors)

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: ULTRA 1000 Sealant for Metal
GENERIC DESCRIPTION: Silyl terminated polyether

ADDRESS: Triangle Fasteners, Inc.
1925 Preble Ave.
Pittsburgh, PA 15233

PHONE: 412.321.5000
FAX: 412.321.7838
EMERGENCY PHONE: (CHEMTREC) (800) 424-9300
International (CHEMTREC) (703) 527-3887

REVISION DATE:

SECTION 2 – COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

COMPONENT CAS No. WT % OSHA-PEL ACGIH-TLV TWA STEL TWA STEL

Amino silane 1760-24-3 1 - 5 None

Comments: Alcohol forms on contact with water or humid air. Provide adequate ventilation to control exposures within guidelines of OSHA
PEL: TWA 1000 ppm and ACGIH TLV- skin: TWA 1000 ppm, STEL 1000 ppm.

SECTION 3 - EFFECTS OF OVEREXPOSURE

Acute Effects

Eye: Direct contact irritates slightly with redness and swelling

Skin: Repeated or prolonged contact may cause defatting of the skin leading to dermatitis. Product contains oximes which are possible skin sensitizers

Inhalation: Vapor overexposure may cause drowsiness, injure blood, liver and may irritate eyes, nose and throat.

Oral: Small amounts transferred to the mouth by fingers during use etc. should not injure. Swallowing large amounts may injure.

Special Hazards

Carcinogens: This product does not contain any ingredients listed by IARC, NTP or OSHA as chemical carcinogens.

Teratogens: None known

Mutagens: None known

Reproductive Toxins: None known

Repeated Exposure Effects

Skin: None known

Inhalation: Vapor overexposure may cause drowsiness, injure blood, liver and may irritate eyes, nose and throat.

Oral: Small amounts transferred to the mouth by

SECTION 4 - FIRST AID MEASURES

Eyes: Flush with water for 15 minutes.

Skin: Wipe off and flush with water. Get medical attention if a reaction develops.

Inhalation: Remove to fresh air. Get medical attention if a reaction develops.

Oral: Get immediate medical attention if large amounts are swallowed.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point: Not Applicable - solid

Flammability Limits in Air: Upper - Not Determined Lower - Not Determined

Extinguishing Media: Water, CO2 ,Dry Chemical, Foam.

Special Fire Fighting Procedures: None known

MATERIAL SAFETY DATA SHEET

TRIANGLE FASTENER CORPORATION

ULTRA 1000 Sealant for Metal (Translucent and colors)

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Disposal of collected product, residues and cleanup materials may be governmentally regulated. Observe all applicable local, state and federal waste management regulations. Scrape up and contain for salvage or disposal. Wash all walking surfaces with detergent and water to reduce slipping hazard. Observe all personal and protection equipment recommendations described in Section 5 and 8. Local, state and federal reporting requirements may apply to spills or releases of this matter into the environment. See applicable regulatory compliance information in Section 15.

SECTION 7 - HANDLING AND STORAGE

Handling: No special precautions

Storage: Keep container closed and store away from water or moisture.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

Local exhaust: Recommended General ventilation: Recommended Eyewash stations: Recommended Personal Protective Equipment for Routine Handling

Eye Protection: Use proper protection - safety glasses as a minimum

Skin Protection: Wash after any contact. Chemical protective gloves are recommended

Respiratory

Protection:

Not required for properly ventilated areas. If high levels of vapor or mist should accumulate, use NIOSH approved respirator with organic vapor cartridge

Personal Protective Equipment for Spills

Eye Protection: Avoid eye contact. Use proper protection - safety glasses as a minimum

Skin Protection: Avoid skin contact. Wash after any contact. Chemical protective gloves are recommended

Respiratory Protection: Not required for properly ventilated areas. If high levels of vapor or mist should accumulate, use NIOSH approved respirator with organic vapor cartridge

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical form Paste **Odor:** Slight smell

Specific Gravity @25° C: 1.00 - 1.20 **Boiling Point (@ 760 mm Hg)** Not applicable

Freezing/melting point Not applicable **Vapor pressure:** Not applicable

Evaporation rate: Not applicable **Volatile content:** Not applicable

Odor threshold 1.0 ppm (acetic) **Percent Volatile by volume:** <8.0

VOC (EPA method 24): 31 gm/l **Evaporation Rate**

Solubility in water: < 1% (**butyl acetate =1**): <1.0

Solubility in organic solvent: Toluene

SECTION 10 - STABILITY AND REACTIVITY

Chemical stability: Stable

Hazardous polymerization: Will not occur

Conditions to avoid: None known

Materials to avoid: None known

Conditions to avoid: None known

Hazardous thermal decomposition and combustion by-products: Carbon monoxide, carbon dioxide, silicon dioxide, and formaldehyde

MATERIAL SAFETY DATA SHEET

TRIANGLE FASTENER CORPORATION

ULTRA 1000 Sealant for Metal (Translucent and colors)

SECTION 11 - TOXICOLOGICAL INFORMATION

This product and its components are not listed by NTP, IARC or regulated as a carcinogen by OSHA.

SECTION 12 - ECOLOGICAL INFORMATION

No information is available

SECTION 13 - DISPOSAL CONSIDERATIONS

Unused product is not a RCRA hazardous waste if discarded. Disposal must comply with Federal, State and Local disposal or discharge laws. The information offered here is for the product as shipped. Use and /or alteration to the product such as mixing with other material may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

SECTION 14 - TRANSPORTATION INFORMATION

Not regulated

SECTION 15 - REGULATORY INFORMATION

TSCA Status:

All chemical substances found in this product comply with the Toxic Substances Control act Inventory reporting requirements

EPA SARA Title III Chemical Listings: 40 CFR 355 Section 302

Extremely Hazardous Substance List: None found

Section 312 Hazard Class: Acute: Yes

Chronic: Yes

Fire: No

Pressure: No

Reactive : No

40 CFR 372.65 Section 313

Toxic Chemical List: None

WHMIS Hazard class: None

Hazard Rating System:

HMIS: Flammability 0, Reactivity 0, Health 1

NFAPA: Flammability 0, Reactivity 0, Health 1

California Proposition 65: None

The information presented in this Material Safety Data Sheet relates only to the specific product designated herein, and no warranty, or guarantee, either expressed or implied is made regarding the performance and conditions of this product. This information is based upon information that Triangle Fastener believes to be true and accurate; however, it is the responsibility of each user to review this information within the specific context of their intended application